
Having Moments with Seniors

Program contents and goals

- Describe some basic concepts of aging and oral health
- Explore the impact of the latest oral-systemic link evidence and link to common agerelated systemic diseases
- Discuss complications associated with chronic disease and related medications
- Identify and prescribe methods to manage dry mouth for older patients
- Determine ways to help family and friends become good oral caregivers to dependent elders
- Investigate concept of geriatric dentistry as a specialty

Are we prepared for the Silver Tsunami? http://youtu.be/LicPYDLd51M



Baltimore Longitudinal Study on Aging:

- Normal aging can be distinguished from disease
- Change is normal, disease is not inevitable
- No chronological timetable of human aging

No longer appropriate to equate geriatric dental care with denture care

2004 only 27% 65 years and older were edentulous



#1 Arthritis

Epidemiology, Consequences and Management of Periodontal Disease in Older Adults-Arthritis

- Common dysregulation of proinflammatory pathways for both arthritis and periodontitis, strongly suggested evaluating patients who have arthritis for periodontitis
- Often limits manual dexterity



#2 Mouth Cancer



#3 COPD Respiratory Problems

Epidemiology, Consequences and Management of Periodontal Disease in Older Adults-Respiratory

- Genetic identity of respiratory pathogen isolates recovered from bronchoalveolar lavage fluid of elderly people who are hospitalized or institutionalized is the same as isolates from their dental biofilms
- Studies show must consider dental biofilm to be an important reservoir of respiratory infection
- Oral cavity likely serves as a reservoir for respiratory pathogens and risk of developing pneumonia
- Epidemiologic studies suggest an association between PD and COPD

#4 Diabetes

Affects approximately 7% almost 21 million in U.S.

- At least 8 million more undiagnosed
- 6th leading cause of death among Americans
- 80% Type 2 Adult onset

Metabolic Syndrome

- 2x the risk of developing CVD over the next 5 to 10 years
- 5x increase in risk for type 2 diabetes mellitus

Fat is an inflammatory tissue

- Affects up to 30% of the US population
- Releases TNFα, C-reactive protein, and other cytokines

Epidemiology, Consequences and Management of Periodontal Disease in Older Adults-Diabetes

• Uncontrolled type 2 diabetes risk factor for severe periodontitis

Patti DiGangi, RDH, BS pdigangi@comcast.net



November 4, 2011

Continuing Dental Education Buffalo-Niagara Dental Meeting

- PD might influence the course of diabetes
- PD is associated with poor glycemic control in prediabetic
- Treatment of PD improves glycemic

#5 Ischemic Heart Disease

• Responsible for 70% of deaths after age 75 years

Epidemiology, Consequences and Management of Periodontal Disease in Older Adults-Cardiovascular disease

- Panoramic radiograph study of 60- to 75-year-old found correlation between alveolar bone loss and an increased risk of experiencing CVD
- PD-induced gingival recession and subsequent root caries increased risk of cardiac dysrhythmia
- 1.5-fold increased odds of experiencing atherosclerosis and coronary heart disease in older adults who had experienced both periodontitis and tooth loss

#6 Hypertension

- Risk of dying of ischemic heart disease and stroke > progressively and linearly when BP > 115/75
- Normal BP age 55-65 have 80-90% risk of developing HBP by age of 80-85

Vascular Dementia

- Result of many small strokes that go unrecognized
- Episodic decline mental function, memory, judgment, functional ability
- Diabetes often a factor but HBP alone can cause it

#7 Dementia

- Affects about 1% of people aged 60-64 years
- 30-50% of people older than 85 years
- Leading reason for placing elderly people in institutions

Epidemiology, Consequences and Management of Periodontal Disease in Older Adults-Alzheimer's disease

 Diminished salivary flow and poorer oral health, recommended aggressive prevention of oral diseases as long as possible to maintain quality of life



#8 Fractures

Epidemiology, Consequences and Management of Periodontal Disease in Older Adults-Osteoporosis

• PD is associated significantly with alveolar bone loss and self-reported osteoporosis

#9 Parkinson Disease

- Progressive degenerative motor system disorders of the CNS and is generally seen in those older than 55 years
- Result of the loss of dopamine-producing brain cells

Tips for Maintaining and Improving Dental Health from Parkinson Disease Foundation

- Use an electric toothbrush
- Try "one-handed strategies" which allow use the stronger side of body
- Apply stannous fluoride gel treatments, as directed by your dentist
- Try non-alcohol based mouthwashes using chlorhexidine or baking soda
- Visit dentist in the morning
- Take levodopa (Sinemet) 60-90 minutes before visit
- Plan several, shorter visits, rather than fewer, longer ones

#10 Stroke

- 3rd leading cause of death in America and a leading cause of adult disability
- 795,000/yr.
- Up to 80% of strokes are preventable

Elder Abuse: The Opportunities and Obligations of the Dental Profession

More than one million elders are victims of abuse every year

Physical

- Broken eyeglasses or frames
- Signs of being restrained, such as rope marks on wrists
- Caregiver's refusal to allow you to see the elder alone
- Unexplained signs of injury such as bruises, welts, or scars, especially if they appear symmetrically on two side of the body
- Broken bones, sprains, or dislocations
- Report of drug overdose or apparent failure to take medication regularly

Emotional Abuse

- Threatening, belittling, or controlling caregiver behavior that you witness
- Behavior from the elder that mimics dementia, such as rocking, sucking, or mumbling to oneself

What you can do

- Watch for warning signs that might indicate elder abuse
- If you suspect abuse, report it
- Help the elder consider you a trusted confidante

Periodontal disease is a common, chronic, and persistent infection

- Harmful bacteria can spread rapidly throughout the periodontium, jeopardizing the gums, connective tissue, and alveolar bone—the foundation on which all dental work rests.
- Periodontal disease is common and occurs in more than 35.7 million American adults—3 out of 4 American adults develop a periodontal infection at some time in their lives.
- Periodontal disease is also the #1 cause of tooth loss in the United States.


Direct Pathway of Perio Disease

- **Bacterial products**
- Enzymes, toxins, metabolites
- Periodontal tissue effects
- Lesions, epithelial penetration, cell death
- Minor cause of periodontal tissue destruction

Indirect Pathway of Perio Disease

- Inflammatory response causes the majority of periodontal tissue destruction
- Destruction is NOT occurring because the bacteria are chewing away on the gums
- Body is doing it to itself
- Body's inflammatory response causing majority of destruction

Inflammatory Cascade



Medication use is not the only cause of dry mouth. Other reasons include:

- Cancer Therapy: Chemotherapeutic drugs can change the flow and composition of saliva. Radiation treatment that is focused on or near the salivary gland can temporarily or permanently damage that gland.
- Nerve Damage: Trauma to the head and neck area, from surgery or wounds, can damage the nerves that supply sensation to the mouth. While the salivary glands may be left intact, they cannot function normally without the nerves that signal them to produce saliva.

November 4, 2011

• Other conditions: Bone marrow transplants, endocrine disorders, stress, anxiety, depression, nutritional deficiencies, tobacco, drug abuse, alcohol use, and caustic mouth products.

Sjögren's Syndrome

The incidence and prevalence of Sjogren's syndrome in the United States is largely unknown, with estimates of prevalence ranging between 300,000 and 3,000,000 people. Most authorities, however, believe that as much as 1% of the US population may suffer from Sjogren's syndrome. This would make Sjogren's syndrome the second most common autoimmune rheumatic disease, second only to rheumatoid arthritis. Like most connective tissue disorders, Sjogren's syndrome shows a higher prevalence in women, with a female: male ratio of about 9:1. The typical diagnosed patient is a middle-aged, white female, although men and people of any age and/or ethnic background can be affected.

American Society for Geriatric: The Mission of the American Society of Geriatric Dentistry (ASGD) is to promote oral health and well being for older adults through collaborative education, advocacy, research and service

Teaching patients to care for older people needing help

Find details on ADA Oral Longevity Program at http://www.ada.org/orallongevity.aspx

Brain Fitness at www.pbs.org



Seniors Are More Than Denture Care—A CAMBRA Approach

2 CE Units

Author: Patti Digangi, RDH, BS

LEARNING OBJECTIVES:

- Describe some basic concepts of aging and oral health
- Explore the impact of the latest oral-systemic link evidence and the relationship of oral disease to common age-related systemic diseases
- Identify and prescribe methods to manage dry mouth for older adults
- Define CAMBRA and ART
- Create evidence-based care plans for older adults

January 1, 2011, ten thousand of the oldest members of the Baby Boom Generation turned age 65. This was just the start. This same pattern will continue every day 365 days/year, for the next 20 years. Oral health conditions likely to be associated with the boomer or new elderly are apt to be complicated by a lifetime of wear and tear. Yet their problems are often less complicated than the oldest elderly who are age 80+. It is no longer appropriate to equate geriatric dental care with denture care. The elderly are not one uniform group. The baby boomers are redefining what it means to be older placing greater demands on the dental practice.

The boomer generation has kept more of their teeth than any preceding generation. Many, due to dental benefits, have experienced a high level of dental care and will demand, or at least desire, the same in their older years. They do not have the expectation of tooth loss. At the same time, often different care is needed for the 80+ group. Both groups hope for longevity combined with good health. However, among those aged 65 years and over there are sharp differences by income, with those in poverty twice as likely as those with higher incomes to have lost all their teeth. The dental profession can help older adults keep their teeth particularly as they relate to systemic conditions with newer concepts of care including Caries Management by Risk Assessment (CAMBRA).

Healthy Aging

Important concepts on aging can only be understood by looking at healthy, independently living people over a number of years. Most dental research comes from a disease-based model. This is also the case for most medical research yet not all of it. In 1958, William Peter, M.D., a retired physician and former missionary decided to donate his body to science while he was still alive. He wanted to study normal aging. This became the basis for the National Institute on Aging (NIA) Baltimore Longitudinal Study on Aging. 1 This ongoing study celebrated its 50th anniversary in 2008. Two conclusions were made. 1) Normal aging can be distinguished from disease. Though change is normal, disease is not inevitable. 2) There is no chronological timetable of human aging. We all age differently. These fundamental concepts mean there is a need to change our thinking about aging, disease and prevention. There is a trend in medicine and dentistry to develop more biological and tissue-preserving techniques and treatments. CAM-BRA is one of those concepts moving into dentistry. These changes are especially timely with an aging population.

A State of Decay

Oral Health America (OHA) is a 501c3 non-profit organization with a mission to improve public health by eliminating oral disease, especially for the country's most vulnerable citizens. In 2000, OHA issued its first national report card on oral health and made several subsequent updates over the past decade. It's bad news all around for older Americans. OHA gave the nation a "D" for older Americans' access to key dental services. "Dental care for our nation's seniors remains in a state of decay," said Robert Klaus, then president of OHA. "Too many older Americans suffer in silence as their oral health and periodontal needs are neglected. They deserve better and we need to do more."2

The New Science of Caries – CAMBRA

Pre-1995 caries theories posited caries as attributable to the intersection of cariogen-

ic bacteria in the mouth, particularly 1-2 specific pathogens; fermentable carbohydrates in the diet; and susceptible teeth. This is not correct. New science shows caries is a complex, multi-pathogenic biofilm disease.

First let's look at the bacterial portion. In the past, the evaluation of bacteria would use some method of culturing for a few single pathogens thought to be the cause of cavities. Strep Mutans and Lactobacillus can be thought of as markers for the dental caries infections yet current science has shown there may be as many as 32 different species of bacteria involved. Additionally, many of the bacteria which we previously thought were harmful are actually not playing as big of a role as certain other strains. All of these species live in a complex biofilm community, and any or all of them may be at play in any patient's caries infection.

The next portion is fermentable carbohydrates. A 2003 study showed the selection pressure for the biofilm that produces dental caries is not sugar availability but rather prolonged periods of low pH.³ Additional 2009 studies demonstrated the microbial shift was directly proportional to the pH shift.^{4,5} Simply put, dental caries is a biofilm mediated, pH specific disease.

The final portion is susceptible teeth. Science daily finds connections between caries and other oral infections with systemic health. Caries is not limited to teeth rather it involves the entire mouth potentially affecting the entire body.

Ongoing research continues to expand our knowledge of the caries process. This different view is the basis of CAMBRA which utilizes all available diagnostic data to assess the patient's risks for this disease, including: oral exam, radiographs, a risk assessment form, biometrics, and patient history. It is not a history looking for cavities rather looking for *risk* of caries and treating before cavitation occurs. CAMBRA represents an evidence-based approach to preventing, reversing and treating dental caries⁶ before they affect systemic health.

Oral-Systemic Health

Former Surgeon General C. Everett Koop, M.D., has often been quoted saying, "You are not healthy without good oral health." Oral health professionals must expand

our knowledge of the oral-systemic links and develop office protocols based on this knowledge. Discussions of the oralsystemic connections are not new. Nearly 100 years ago, the focal infection theory made similar connections. Practitioners at that time interpreted this systemic connection theory to mean the human mouth was the focus of infection and extraction of teeth was the answer to a wide variety of diseases. Focal infection theory fell out of favor in the mid-1940's and there was little interest in oral-systemic connections. This changed in 1989 when Mattila et al. published in the British Medical Journal, the Association between Dental Health and Acute Myocardial Infarction.8

Dentistry has been oral-systemic era for 20 years yet few practitioners have changed their protocols based on this knowledge. Oral infections have systemic implications and systemic conditions have a reciprocal impact on oral health. Crossdiscipline and inter-professional interaction can create successful partnerships for better patient care. Alan R. Gould, D.D.S. said it this way, "We will soon witness the evolution of a practice of dentistry.... One can envision a system of health care in which physicians and oral health professionals will work together in an increasingly integrated and coordinated manner, providing diagnostic and therapeutic services to address a significant range of oral and systemic diseases."9 An aging population often with more and more complex health issues is pushing this change. Risk assessment, the first key step in CAM-BRA, starts with health histories.

Health Histories

Though normal aging does necessarily equate to disease, many older adults have one or more chronic diseases with associated medication management. These issues can impact the delivery of oral health care. Dental professionals need to understand the complexities of older adults and their possible special needs. In 2007, the American Dental Association created a program called Oral Longevity.10 That program identified the ten (10) most common systemic diseases seen in functionally independent older adults including: arthritis, chronic obstruction pulmonary disease (COPD), diabetes, ischemic heart disease, hypertension, dementia, depression, osteoporosis and stroke. This is the top ten list but by no means exhaustive.

Before there is disease, there is health with risk for disease. This is well understood with heart disease. Many people take blood pressure and cholesterol medication to reduce the risk of a heart attack. In dentistry, risk assessment starts with an oral review of the health history with the patient or caregiver. What must be considered, no matter the age group, is many patients may not be able to read or understand the health history form. A news story was published about a retired school teacher admitting he was illiterate until the age of 48.11 A National Assessment of Adult Literacy showed that 20% of the U.S. population is functionally illiterate with another 35% reading and comprehending only at a 6th-10th grade level.¹² It is quite possible that the person filling out the health history didn't understand many of the questions. In the case of dependent older adults, this lack of literacy must also be considered when interacting with caregivers. Legally, it is the duty of the oral health professional to gather complete patient health data; a filled out form alone may not be enough. A clear, complete understanding of the older person health status and medication profile provides important risk data for CAMBRA assessment.

Polypharmacy

Pharmaceutical advances have improved the quality and length of life for many patients. Dental professionals must recognize effects of polypharmacy. A thorough discussion of prescription and non-prescription medications prescribed as well as how medications are taken is paramount. Due to financial issues, older patients may be skipping doses, cutting pills or not refilling prescriptions.

Studies show about 30% of older patients have dry mouth. Don't let that statistic lull you into thinking dry mouth is something that is part of the aging process. Many xerostomic symptoms can be attributed to polypharmacy. We are likely to see an increase in dry mouth with our aging population. Dry mouth symptoms may not appear until salivary flow rate is reduced by as much as 50% of normal.¹³ An interesting issue is though elderly patients are more likely to have dry mouth,

they may be less likely to complain about symptoms. The challenge is when dry mouth is chronic and long term, people may not be aware they have it. Older patients with dry mouth can be as much as 3 times more likely to have caries as well as an increased risk for oral cancer and periodontal disease. Chronic dry mouth is strongly and independently associated with a reduction in a patient's quality of life resulting in loss of self esteem and other social problems.

Medication use is not the only cause of dry mouth. Other reasons include:

- Cancer Therapy: Chemotherapeutic drugs can change the flow and composition of saliva. Radiation treatment that is focused on or near the salivary gland can temporarily or permanently damage that gland.
- Sjögren syndrome: A chronic autoimmune disease in which people's white blood cells attack their moisture-producing glands. Today, as many as 4 million Americans are living with this disease. It often occurs in the presence of another autoimmune connective tissue disease like rheumatoid arthritis, lupus, or scleroderma. The hallmark symptoms are dry eyes and dry mouth.¹⁴
- Nerve Damage: Trauma to the head and neck area, from surgery or wounds, can damage the nerves that supply sensation to the mouth. While the salivary glands may be left intact, they cannot function normally without the nerves that signal them to produce saliva.
- Other conditions: Bone marrow transplants, endocrine disorders, stress, anxiety, depression, nutritional deficiencies, tobacco, drug abuse, alcohol use, and caustic mouth products.

Simple dry mouth really isn't simple as the following case demonstrates.

Case Study

Nancy, a 63 year old baby boomer, has a very bad case of dry mouth. She's had it for many years and drinks a lot of water, but it doesn't help. She visits her dental hygienist for routine six-month care, which consists of a cleaning, exam, and sometimes x-rays. When Nancy is asked, "Has your health changed since you were last here?" the hygienist turns her back

and washes her hands not seeming really interested in listening and more in hurry to get going with care. At the end of the appointment Nancy is told whether or not she has cavities and to floss regularly. Nancy thinks this is what routine hygiene appointments encompass; she doesn't know any different. She doesn't think her hygienist or dentist wants to know about anything else because they never ask.

Nancy has a complex health profile that includes multiple allergies, the most severe of which is an anaphylactic reaction to gluten. She carries an EpiPen, and has had reactions so severe she's been hospitalized for as long as two to three weeks to get her immune system stabilized. She uses a C-PAP each night for sleep apnea. Nancy suffers from migraines, gastroesophageal reflux disease (GERD), and has a family history of thyroid dysfunction, colon cancer, osteoporosis, glaucoma, and more. She takes 6-7 medications daily, using a nebulizer to deliver some of those medications. She has also been prescribed many other medications to be used as needed for migraine headaches.

Nancy was frustrated during her last dental visit because a bridge had fallen off as it had several times in the past. She also has decay by her front bonding. She asked her hygienist if dry mouth had anything to do with these changes. She got no real answer. She then asked if there was something she could do for her dry mouth. She was told to drink water, chew gum and rinse with mouthwash and of course the golden fleece of dental hygiene-she must floss. This information is not much help with a situation as complex as Nancy's. Water is not the same as saliva and though important to overall systemic hydration, water will not be enough to manage severe dry mouth. The type of gum does make a difference depending on ingredients like sucrose. Additional sugar with no saliva to buffer can make a bad situation worse. Mouthwash can and should be part of any caries management plan yet should be matched to the person. Using an alcohol based rinse might potentially worsen Nancy's situation. Floss does not make a dry mouth more comfortable and may irritate dry, sore tissue.

Nancy's dental practitioners didn't notice anything relating to her dry mouth, yet neither did Nancy until it became extreme. When she sought advice from professionals, they either didn't know, had forgotten, or worse, they thought they knew how to treat dry mouth but actually did potential harm with their advice. It is easy for us to recognize Nancy's problems through her story. Yet how often is oral dryness ignored or poor advice is given particularly to older patients?

Evaluating Saliva

Saliva is a remarkable fluid and a mirror of the body. Its complexity offers multiple opportunities for monitoring general wellness, assessing oral health, tracking systemic disease, and designing interventions to promote health. With a continually building body of research on the connection between systemic and oral health, knowledge about saliva and its value will expand exponentially with an aging population. Saliva has a critical role in the prevention and reversal of the caries process. With our growing knowledge of saliva as a diagnostic tool and the connections between oral and systemic health, monitoring saliva should become, like blood pressure screening, an important vital sign completed at every appointment.

Saliva testing starts with asking patients simple questions such as:

- Do you have any difficulty swallowing?
- Does your mouth feel dry when eating a meal?
- Do you sip liquids to aid in swallowing dry food?
- Does the amount of saliva in your mouth seem to be too little, too much or do you not notice?

A clinical assessment can start with a simple mirror stick test performed during the oral cancer evaluation. All it takes is to place the mirror against the buccal mucosa and tongue. If it adheres to the tissue, then salivary secretion may be reduced. Presence of saliva does not indicate that the saliva is healthy. Testing for pH can be done using simple litmus paper. Collect a small sample of saliva by having the patient expectorate into a small cup and place the pH paper into the sample. Both the patient and practitioner can see if the older patient has acidic saliva. An acidic condition allows acid-producing, acidloving bacteria to be produced. Providing ways to elevate the pH to counteract these inevitable periods of acidity will assist the older patient to prevent breakdown.

In office saliva testing systems are available to evaluate hydration, consistency, resting saliva pH, stimulated saliva flow, stimulated saliva pH, and buffering capacity. Understanding a patient's saliva characteristics can give the practitioner valuable information to determine treatment choices and strategies including designing an individualized remineralization plan - another part of CAMBRA.

A more specific test uses bioluminescence technology. All living cells use Adenosine Tri-phosphate (ATP) as their energy to perform whatever function that cell is designated for.¹⁵ ATP is the energy molecule for all living cells, whether they are human cells, bacterial cells, fungal cells, etc. This technology screens for levels of all bacteria based on presence of ATP.¹⁶ Acid-producing bacteria contain up to 100 times more ATP than non-acid-producing bacteria. A higher reading for the older adult indicates higher caries susceptibility.

These tests are not designed to add to costs for older patients; rather prevention and healing can reduce overall costs — another foundational CAMBRA concept.

Evidence Based Care Plans

Armed with this risk knowledge, professionals can design a program with the patient that is more than what Nancy was given. Deciding the appropriate products to use during in-office prophylactic and maintenance procedures may include the use of smart polishing pastes with amorphous calcium phosphate (ACP), Novamin, Pro-Argin or other remineralizing and desensitizing ingredients. The plan might include in-office fluoride varnish treatments or use of sealants. Often professionals only think of fluoride and sealants for children. Older patients can gain value with these treatments. The advantages are both physical and economic. Preventive care costs much less than restorative care and older adults will value less-invasive care.

A home self-care plan must be tailored to the comfort level of the older person. Rinses are not a one-size-fits all and are part of any regimen. Products with additional calcium, phosphate and fluoride can assist inadequate saliva to have the components needed to boost remineralization. Power toothbrushes can assist older patients that may have lost dexterity. Offering these va-

rieties of options will also help to manage dryness. Products containing enzymes that mimic saliva can be comforting.

Xylitol is a bulk sweetener that has similar sweetness and functional properties of ordinary table sugar but helps prevent decay. Xylitol is a 5-carbon structure that is non-fermentable by oral bacteria. Xylitol weakens acidic bacteria and helps reduce oral acidity. Use of xylitol gum, mints, and sprays can help bring the pH level under control as needed over and over each day as well as provide comfort for dry mouth. Only small amounts are needed for dental benefits. Xylitol is 40% lower in calories than sugar with a low glycemic index. Xylitol is safe, enjoyable, and can be a selfdirected low cost preventive measure that older adults can readily find in most health food stores.

Testing, along with patient discussions, can guide the best evidence based choices. It is important not to overwhelm the person with too many options. Changing habits is difficult. Offering simple solutions like chewing xylitol gum or mints can create better prospects for success with older patients.

When Older Patients Can't Afford Care - ART

Unfortunately less than 2 of 10 older Americans have dental insurance making oral healthcare a luxury.2 More complex health conditions and failure to maintain proper dental care can have adverse consequences to overall health. Older patients as well as other healthcare providers often lack knowledge of the oral-systemic links creating a "teeth are not that important" message. Dental health professionals believe in helping to create optimal oral health. When older adults can't afford this care, professionals' belief in optimal care can nearly blind them to other interim options. The consequences of poor oral health can lead to dehydration, malnutrition, pneumonia, aspiration and food taste alteration just to name a few of the myriad of problems. A CAMBRA approach to managing older patients with gross caries disease that cannot afford care is a procedure called Atraumatic Restorative Treatment (ART.) ART was first used in the 1990's in third world countries and was officially endorsed by the World Health Organization in 1994.¹⁸ The two main principles of ART are 1) the removal of gross carious tooth tissues using hand instruments only and 2) restoring the cavity with a restorative material that sticks to the tooth. Currently, ART is performed using glass-ionomer as the restorative material. Glass ionomer acts as a physical barrier against biofilm/pH destruction and can be recharged with fluoride releasing into the adjacent enamel. This procedure is temporary in nature and not particularly attractive, yet the benefit of protecting both oral and systemic health outweighs the esthetics. This option is reversible and can be performed by dental hygienists and assistants in most states and is a viable option for older patients that cannot afford care.

Fundamental Thinking Changes Needed

Dental health professionals need to make fundamental changes in our thinking about aging, disease and prevention. An increasing number of individuals are reaching extreme old age, maintaining good health and functional status. Baby boomers plan to live forever. This cannot happen, in the words of Dr. Koop, without good oral health. A CAMBRA approach will not only save teeth, it can also save lives.

REFERENCES

- 1. Healthy Aging: Lessons from the Baltimore Longitudinal Study of Aging. National Institute on Aging. U.S. National Institutes on Health. August 10, 2010. http://www.nia.nih.gov/HealthInformation/Publications/BLSA/
- 2. A State of Decay The Oral Health of Older Americans. Oral Health America. September 2003. http://www.oralhealth america.org/pdf/StateofDecayFinal.pdf
- 3. Fejerskov O, Kidd E. *Dental Caries: The disease and its clinical management.* Blackwell Munksgaard 2003 Oxford UK. Pp:4-5. Available at: http://jdr.sagepub.com/content/83/suppl_1/C35.full
- 4. Young DA, Kutsch VK, Whitehouse J. *A clinician's guide to CAMBRA: a simple approach.* Compend Contin Educ Dent March 2009; 30(2):92-8. Available at: http://www.compendiumlive.com/article.php?id=2551
- 5. Twetman S, Fontana M. *Patient caries risk assessment*. Monograph. Oral Sci 2009; 21:91-101.
- 6. Young, D et al. New Directions in Interorganizational Collaboration in Den-

- tistry: The CAMBRA Coalition Model. J Dent Educ May 2007
- 7. Oral Health in America: *A Report* of the Surgeon General. May 2000. U.S. Department of Health and Human Services. http://www.surgeongeneral.gov/library/oralhealth/
- 8. Mattila KJ, Nieminen MS, Valtonen VV, Rasi VP, Kesaniemi YA, Syrjala SL, Jungell PS, Isoluoma M, Hietaniemi, Jokinen MJ and Huttunen JK, *Association between dental health and acute myocardial infarction*, British Medical Journal 298:779-782, 1989.
- 9. Gould, A. What do we want to be? ADA News. March 6, 2006. http://www.ada.org/prof/resources/pubs/adanews/adanewsarticle.asp?articleid=1825
 10. Oral Longevity. American Dental Association, 2007. http://www.ada.org/orallongevity.aspx
- 11. Yu, C. *Retired teacher reveals he was illiterate until age 48*. February 14, 2008. John Corcoran Foundation. http://www.johncorcoranfoundation.com/
- 12. Fast Facts on Literacy from the National Institute for Literacy. 2007. U.S. Department of Education. Nation
- U.S. Department of Education, National Center for Education Statistics.
- 13. Dawes, C. *How much saliva is enough for avoidance of xerostomia?* Caries Res. 2004,38:236-240
- 14. *What is Sjögren's Syndrome?* The Sjögren's Syndrome Foundation. 2011. http://www.sjogrens.org/
- 15. Shay K. *Core concepts: oral diseases and disorders*. Clinical Geriatrics. February 2002. Available from: North American Center for Continuing Medical Education, Malvern, PA
- 16. Alice CL Len, Harty DWS, Jaques AJ. Stress-responsive proteins are upregulated in Streptococcus Mutans during acid tolerance. Microbiol 150 (2004) 1339-1351
- 17. Fazilat S, Sauerwein R, Kimmell I, Finlayson T, Engle J, Gagneja P, Maier T, Machida C. ATP Bioluminescence: Rapid Quantification of Oral Bacteria. Submitted to J. Dent Res May 27, 2008

 18. Lopez, N., Simpson-Rafalan, S., Berthold, P. Atraumatic Restorative Treatment for Prevention and Treatment of Caries in an Underserved Community. Am J Public Health. 2005 August; 95(8): 1338–1339

Case Study: Larson vs. Andrew

Allegation: Wrongful Death **Plaintiff:** The Estate of Thomas Larson **Defendant:** Frederick Andrew, DDS

Thomas Larson, a 52-year-old, obese man, first appoints with Dr. Frederick Andrew in 2002. At this appointment, Mr. Larson completes a health history form and checks 'no' to the questions regarding taking medication, having new or existing medical conditions, and having high blood pressure. Over the next 4 years, Dr. Andrew requires Mr.



Larson to review his health history form at each visit. Each time, Mr. Larson glances over the form and tells Dr. Andrew 'there are no changes.' While Dr. Andrew suspects that he has some health issues, he still notes in the chart that there are no changes to the health history. In 2006, Mr. Larson arrives at Dr. Andrew's office for his annual exam and 'cleaning.' After reviewing the bitewing radiographs, Dr. Andrew explains to Mr. Larson that tooth #16 has a large cavity and he recommends extracting the tooth. The tooth has super erupted due to the missing opposing tooth; therefore, the extraction should be simple. Mr. Larson agrees to the treatment and schedules an appointment for 1:30 pm the following week. After Mr. Larson leaves, the receptionist tells Dr. Andrew that she noticed Mr. Larson had a hard time catching his breath when walking into the office. Dr. Andrew agrees that his health appears to have declined over the past year.

The following week, Mr. Larson arrives for his extraction appointment out-of-breath and looking very pale. Mr. Larson says he does not feel well. The receptionist relays the information to Dr. Andrew, who notices Mr. Larson, is also perspiring profusely. As he sits in the treatment room chair, Dr. Andrew asks whether he would like to reschedule the appointment for another day when he is feeling better. Mr. Larson wants the extraction performed that day since he is already there. Dr. Andrew reluctantly proceeds, injecting him with anesthetic and allowing sufficient time for the anesthetic to take effect. While his breathing rate slows down, he remains pale and clammy. Dr. Andrew documents his visible condition in his chart. Dr. Andrew extracts the tooth without incident. He sits Mr. Larson upright, reviews the post-operative instructions with him, and tells him to call if he has any issues or concerns once he is home. Dr. Andrew escorts him to the front desk and tells the receptionist to schedule a post-operative appointment within the next week. Mr. Larson asks to sit down while the receptionist makes the appointment. Dr. Andrew asks Mr. Larson if he is okay to drive. He says that he will be fine and just needs to sit down a moment. After making a follow-up appointment, Mr. Larson leaves the office. Dr. Andrew and the staff comment to one another on how poorly Mr. Larson looks. Dr. Andrew tells the receptionist to call Mr. Larson to check on him before she leaves for the evening.



November 4, 2011

At 5:30 that evening, Dr. Andrew and his staff lock up the office and walk toward the parking lot. The receptionist remembers she forgot to call Mr. Larson. Dr. Andrew says to call the first thing in the morning and assures her they would have heard something by now if there were any problems. As the assistant gets into her car, she looks over at the car parked next to her and sees Mr. Larson slumped over the steering wheel. Dr. Andrew instructs the receptionist to call 911. He runs to the car, opens the door, and checks Mr. Larson's vitals. He has no pulse, and his appearance indicates he has likely been dead for several hours. The ambulance arrives and transports Mr. Larson to the hospital where he is pronounced dead on arrival.

Dr. Andrew is surprised when he receives an intent-to-sue letter indicating Mr. Larson's wife and children are suing him for negligence resulting in the death of their husband and father following a dental treatment.

Discuss Case Larson vs. Andrew

- What did this practitioner do incorrectly?
- How do you best update the health profile?
- Is blood pressure screening required?
- Is weight assessment part of the health profile?
- What is C reactive protein and how does it relate to disease?